

Testis

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 codes C62.0-C62.9, and excluding morphology codes 9590-9970. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 186.0-186.9

1994 Washington State Residents

Incidence and Mortality Summary by Sex

with rates per 100,000 and age-adjusted to 1970 US census population

Incidence			
	Male	Female	Total
All Reportable Cancers	186	n/a	n/a
Total Incidence Rates	5.6	n/a	n/a
Invasive Cancers*	186	n/a	n/a
Invasive Incidence Rates*	5.6	n/a	n/a
1994 National Rates*	4.9	n/a	n/a

*Excludes in situ cases


Mortality			
	Male	Female	Total
Deaths	2	n/a	n/a
Mortality Rates	n/c	n/a	n/a
1994 National Rates	0.2	n/a	n/a

1994 Washington State Residents

Stage at Diagnosis

Total Incidence and Percents


	All Stages	Localized
5-Year Survival Rates (US)	95.0%	98.5%



Testis


1994 Washington Male State Residents Age-Specific Incidence Rates

By Sex



Washington State Male Residents Incidence and Mortality Rate Trends


Age-adjusted to 1970 US census population



Testis

1994 Washington State Male Residents


Incidence Rates by PUMS Regions with rates in []'s and 95% CIs in |—| Age-adjusted to 1970 US census population



Note: Rates and confidence intervals are not computed when the number of new cases is less than 5.

1994 Washington State Male Residents

Death Rates by PUMS Regions with rates in []'s and 95% CIs in |—| Age-adjusted to 1970 US census population




Note: Rates and confidence intervals are not computed when the number of new cases is less than 5.

* Region 3: Chelan, Douglas, Kittitas & Okanogan
Region 12: Cowlitz, Klickitat, Skamania & Wahkiakum
Region 13: Adams, Ferry, Grant, Lincoln, Pend Oreille & Stevens
Region 17: Asotin, Columbia, Garfield, Walla Walla & Whitman

Testis

1992-1994 Washington State Male Residents

Average Annual Incidence Rates by County with rates in []'s and 95% CI's |—| census population




NOTE: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases is less than 5.

Testis

1992-1994 Washington State Male Residents

Average Annual Mortality Rates by County with rates in []'s and 95% CI's |—| census population



NOTE: Rates and confidence intervals are not computed when the 1992-1994 total number of deaths is less than 5.

Testis

1992-1994 Washington State Male Residents

Average Annual Incidence and Deaths by County

with Age-Adjusted Rates and 95% Confidence Intervals

County	Incidence					Deaths				
	1992-1994 Annual Average					1992-1994 Annual Average				
	Average New Cases per Year	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		Average Deaths per Year	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population	
		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates
Adams	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Asotin	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Benton	4	6.2	(3 - 12)	6.1	(3 - 12)	0	n/c	n/c	n/c	n/c
Chelan	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Clallam	3	11.5	(5 - 23)	9.2	(4 - 19)	0	n/c	n/c	n/c	n/c
Clark	9	6.8	(5 - 10)	5.6	(4 - 8)	0	n/c	n/c	n/c	n/c
Columbia	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Cowlitz	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Douglas	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Ferry	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Franklin	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Garfield	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Grant	2	7.9	(3 - 17)	6.6	(3 - 15)	0	n/c	n/c	n/c	n/c
Grays Harbor	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Island	2	4.8	(2 - 12)	4.2	(1 - 12)	0	n/c	n/c	n/c	n/c
Jefferson	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
King	59	6.8	(6 - 8)	5.6	(5 - 7)	2	0.2	(0 - 1)	0.1	(0 - 0)
Kitsap	5	4.3	(2 - 7)	3.5	(2 - 6)	0	n/c	n/c	n/c	n/c
Kittitas	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Klickitat	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Lewis	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Lincoln	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Mason	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Okanogan	2	10.6	(3 - 26)	9.0	(3 - 23)	0	n/c	n/c	n/c	n/c
Pacific	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Pend Oreille	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Pierce	19	5.7	(4 - 7)	4.8	(4 - 6)	1	n/c	n/c	n/c	n/c
San Juan	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Skagit	3	7.8	(4 - 15)	6.9	(3 - 14)	0	n/c	n/c	n/c	n/c
Skamania	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Snohomish	21	8.0	(6 - 10)	6.7	(5 - 9)	1	n/c	n/c	n/c	n/c
Spokane	12	6.2	(4 - 9)	5.3	(4 - 8)	0	n/c	n/c	n/c	n/c
Stevens	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Thurston	5	5.7	(3 - 10)	4.9	(3 - 8)	0	n/c	n/c	n/c	n/c
Wahkiakum	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Walla Walla	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Whatcom	8	11.9	(8 - 18)	9.7	(6 - 15)	0	n/c	n/c	n/c	n/c
Whitman	1	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
Yakima	4	4.0	(2 - 7)	3.4	(2 - 6)	0	n/c	n/c	n/c	n/c
Unidentified	0	n/c	n/c	n/c	n/c	0	n/c	n/c	n/c	n/c
State Total	173	6.4	(6 - 7)	5.4	(5 - 6)	6	0.2	(0 - 0)	0.2	(0 - 0)

Note: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases or deaths is less than 5.

Testis

1994 Washington State Male Residents

Incidence and Incidence Rates by PUMS Region with Age-Adjusted Rates and 95% Confidence Intervals

PUMS Regions	Total					Male					Female				
	New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population	
		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates
(1) Whatcom	n/a	n/a	n/a	n/a	n/a	9	12.9	(6 - 25)	10.3	(5 - 21)	n/a	n/a	n/a	n/a	n/a
(2) Island, San Juan, Skagit	n/a	n/a	n/a	n/a	n/a	8	9.4	(4 - 20)	8.2	(3 - 18)	n/a	n/a	n/a	n/a	n/a
(3) Chelan, Douglas, Kittitas, Okanogan	n/a	n/a	n/a	n/a	n/a	5	6.5	(2 - 16)	6.0	(2 - 15)	n/a	n/a	n/a	n/a	n/a
(4) Kitsap	n/a	n/a	n/a	n/a	n/a	7	6.2	(3 - 13)	5.0	(2 - 12)	n/a	n/a	n/a	n/a	n/a
(5) Clallam, Jefferson, Mason	n/a	n/a	n/a	n/a	n/a	7	10.5	(4 - 24)	8.3	(3 - 20)	n/a	n/a	n/a	n/a	n/a
(6) Snohomish	n/a	n/a	n/a	n/a	n/a	22	8.4	(5 - 13)	7.4	(5 - 12)	n/a	n/a	n/a	n/a	n/a
(7) King	n/a	n/a	n/a	n/a	n/a	67	7.4	(6 - 10)	6.2	(5 - 8)	n/a	n/a	n/a	n/a	n/a
(8) Pierce	n/a	n/a	n/a	n/a	n/a	19	5.9	(4 - 9)	5.0	(3 - 8)	n/a	n/a	n/a	n/a	n/a
(9) Thurston	n/a	n/a	n/a	n/a	n/a	4	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(10) Grays Harbor, Lewis, Pacific	n/a	n/a	n/a	n/a	n/a	1	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(11) Clark	n/a	n/a	n/a	n/a	n/a	9	6.1	(3 - 12)	5.1	(2 - 10)	n/a	n/a	n/a	n/a	n/a
(12) Cowlitz, Klickitat, Skamania, Wahkiakum	n/a	n/a	n/a	n/a	n/a	1	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(13) Adams, Ferry, Grant, Lincoln, Pend Oreille, Stevens	n/a	n/a	n/a	n/a	n/a	4	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(14) Spokane	n/a	n/a	n/a	n/a	n/a	12	5.8	(3 - 11)	4.8	(2 - 9)	n/a	n/a	n/a	n/a	n/a
(15) Benton, Franklin	n/a	n/a	n/a	n/a	n/a	4	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(16) Yakima	n/a	n/a	n/a	n/a	n/a	4	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(17) Asotin, Columbia, Garfield, Walla Walla, Whitman	n/a	n/a	n/a	n/a	n/a	3	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
Unidentified	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
STATE TOTAL	n/a	n/a	n/a	n/a	n/a	186	6.7	(6 - 8)	5.6	(5 - 7)	n/a	n/a	n/a	n/a	n/a

Note: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases or deaths is less than 5.

Testis

1994 Washington State Male Residents

Mortality and Mortality Rates by PUMS Region with Age-Adjusted Rates and 95% Confidence Intervals

PUMS Regions	Total					Male					Female				
	New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population		New Cases	Age Adjusted to 1940 US Census Population		Age Adjusted to 1970 US Census Population	
		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates		Rate per 100,000	95% CI for Rates	Rate per 100,000	95% CI for Rates
(1) Whatcom	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(2) Island, San Juan, Skagit	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(3) Chelan, Douglas, Kittitas, Okanogan	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(4) Kitsap	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(5) Clallam, Jefferson, Mason	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(6) Snohomish	n/a	n/a	n/a	n/a	n/a	1	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(7) King	n/a	n/a	n/a	n/a	n/a	1	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(8) Pierce	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(9) Thurston	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(10) Grays Harbor, Lewis, Pacific	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(11) Clark	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(12) Cowlitz, Klickitat, Skamania, Wahkiakum	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(13) Adams, Ferry, Grant, Lincoln, Pend Oreille, Stevens	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(14) Spokane	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(15) Benton, Franklin	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(16) Yakima	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
(17) Asotin, Columbia, Garfield, Walla Walla, Whitman	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
Unidentified	n/a	n/a	n/a	n/a	n/a	0	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a
STATE TOTAL	n/a	n/a	n/a	n/a	n/a	2	n/c	n/c	n/c	n/c	n/a	n/a	n/a	n/a	n/a

Note: Rates and confidence intervals are not computed when the 1992-1994 total number of new cases or deaths is less than 5.